



Kseibi TCT Circular Saw Blade for Wood

Choose the right cut for the job

Kseibi

Highlights

- Designed for wood cutting applications
- Carbon steel body with TCT head
- Polished finish across listed variants
- Available in diameters from 100 mm to 350 mm
- Tooth counts available from 24T to 100T
- Wide choice of bore sizes and configurations
- Selected variants include reducing washers
- Suitable for fast cuts or finer finishes
- Clear blade markings shown on the blade face
- Double blister card packing on listed variants

Key Features

- Wide size selection — Available in multiple diameters and arbor configurations, this range helps you choose a blade that suits your saw and the type of wood cutting you do.
- TCT cutting edge — The carbon steel body with TCT head combines a strong blade core with carbide-tipped teeth for dependable performance in woodworking tasks.
- Tooth count options — With variants from 24T to 100T, you can select a blade for quicker cutting, general-purpose work or a cleaner finish depending on your application.
- Polished surface finish — A polished finish is specified across the listed variants, giving the blade a clean appearance suited to regular workshop and site use.
- Flexible fitment — Selected sizes are supplied with reducing washers, offering added compatibility with different arbor sizes where specified.

Variants & References

size	Internal Ref.
100 x 20mm / 40T	647203
115 x 2mm / 40T	647206
125 x 22.2 / 40T	647208

130 x 20mm / 30T	647215
125 x 22.2mm / 40T	647216
150 x 20mm / 36T	647233
160 x 25mm / 24T	647236
160 x 25mm / 40T	647239
160 x 25mm / 60T	647242
185 x 30mm / 24T	647245
180 x 32 / 24T	647247
185 x 30mm / 40T	647248
185 x 30mm / 60T	647251
210 x 30mm / 60T	647263
230 x 30mm / 40T	647269
230 x 30mm / 60T	647272
230 x 32 / 24T	647274
250 x 30mm / 40T	647275
250 x 30mm / 60T	647278
250 x 35mm / 80T	647281
250 x 30mm / 100T	647284
300 x 30mm / 60T	647290
300 x 30mm / 80T	647293
300 x 30mm / 100T	647296
350 x 30mm / 60T	647299
350 x 35mm / 80T	647302

Specifications

Blade marking	Woodworking
Series marking	Series 40
Country marking	Made in Germany
Maximum RPM marking (rpm)	13500
Safety marking	Always wear safety glasses

Specifications by Variant

Specification	100 x 20mm m / 40T	115 x 2mm / 40T	125 x 22.2 / 40T	130 x 20mm m / 30T	125 x 22.2 mm / 40T	150 x 20mm m / 36T	160 x 25mm m / 24T	160 x 25mm m / 40T	160 x 25mm m / 60T	185 x 30mm m / 24T
Diameter	100 mm	115 mm	—	—	125 mm	—	—	160 mm	—	184 mm
Dimensions	100x2 0 MM / 40T	115x2 2.2 MM / 40T	—	—	—	—	—	—	—	185x3 0 MM / 24T
Number of teeth	40	40	—	—	40	—	—	40	—	24
Material	Carbo n Steel With TCT Head	Carbo n Steel With TCT Head	—	—	—	—	—	—	—	Carbo n Steel With TCT Head
Bore diameter	20 mm (with 16 mm r educi ng wa sher)	22.23 mm (with 20, 16 mm r educi ng wa shers)	—	—	22.23 mm (with 20, 16 mm r educi ng wa shers)	—	—	25.4 mm (with 20, 16 mm r educi ng wa shers)	—	30 mm (with 25.4, 20, 16 mm r educi ng wa shers)
Surface finish	Polish ed	Polish ed	—	—	Polish ed	—	—	Polish ed	—	Polish ed
Packing	Doubl e Blist er Card Packi ng	Doubl e Blist er Card Packi ng	—	—	—	—	—	—	—	Doubl e Blist er Card Packi ng