



Kseibi Flat Spade Bit 152mm

Fast wood drilling in the size you need

Kseibi

Highlights

- Flat spade bit for fast drilling in wood
- 152mm overall bit length across the range
- Available in sizes from 6 x 152mm to 40 x 152mm
- Made from high quality tool steel
- Polished finish for smooth, practical performance
- Pointed tip helps start holes accurately
- Broad paddle head bores larger holes quickly
- Selected variants include 1/4" quick-change shank
- Suitable for workshop, site and maintenance tasks
- Supplied in double blister card packing

Key Features

- Wide Size Selection — Choose the diameter you need from a broad range spanning 6 x 152mm to 40 x 152mm for different wood drilling tasks.
- 152mm Reach — The 152mm length provides practical reach for drilling through common timber sections and access points.
- Tool Steel Construction — Built from high quality tool steel, with variant specifications also listing carbon steel or high-carbon steel depending on size.
- Polished Surface — A polished finish supports smooth drilling action and gives the bit a clean, professional look.
- Quick-Change Compatibility on Selected Sizes — Many variants are specified with a 1/4" quick-change shank for faster bit changes in compatible tools.

Variants & References

size	Internal Ref.
6 x 152mm	583005
8 x 152mm	583010
10 x 152mm	583015

12 x 152mm	583020
13 x 152mm	583025
14 x 152mm	583030
16 x 152mm	583035
17 x 152mm	583040
18 x 152mm	583045
19 x 152mm	583050
20 x 152mm	583055
22 x 152mm	583060
24 x 152mm	583065
25 x 152mm	583070
26 x 152mm	583075
28 x 152mm	583080
30 x 152mm	583085
32 x 152mm	583090
35 x 152mm	583095
36 x 152mm	583100
38 x 152mm	583105
40 x 152mm	583110

Specifications

Material	High Quality Tool Steel
Bit type	Flat spade bit
Tip style	Pointed centre tip
Surface finish	Polished
Packing	Double Blister Card Packing

Specifications by Variant

Specification	6 x 15 2mm	8 x 15 2mm	10 x 1 52m m	12 x 1 52m m	13 x 1 52m m	14 x 1 52m m	16 x 1 52m m	17 x 1 52m m	18 x 1 52m m	19 x 1 52m m
---------------	---------------	---------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------	--------------------

Feature	6.0x1 52 MM	8.0x1 52 MM	—	—	—	—	—	—	—	—
Material	—	Carbo n steel, polish ed su rface	Carbo n steel, polish ed su rface	—	Carbo n steel, polish ed su rface	High- carbo n steel	High- carbo n steel	Carbo n steel, polish ed su rface	High- carbo n steel	—
Dimensions	—	—	10x15 2 MM	12x15 2 MM	13x15 2 MM	14x15 2 MM	16x15 2 MM	17x15 2 MM	18x15 2 MM	19x15 2 MM
Shank	—	With 1/4" q uick-c hange shank	With 1/4" q uick-c hange shank	—	With 1/4" q uick-c hange shank	With 1/4" q uick-c hange shank	With 1/4" q uick-c hange shank	With 1/4" q uick-c hange shank	With 1/4" q uick-c hange shank	—
Length	—	—	—	—	—	Overa ll leng th 15 cm	Overa ll leng th 15 cm	—	Overa ll leng th 15 cm	—
Surface finish	—	—	—	—	—	Polish ed su rface	Polish ed su rface	—	Polish ed su rface	—