



Kseibi SDS-Plus 2-Cutter Masonry Drill Bit

Built for SDS-plus hammer drilling

Kseibi

Highlights

- SDS-plus shank for compatible rotary hammer drills
- 2-cutter slotted tip for masonry drilling
- Suitable for concrete, brick and similar materials
- Fluted body helps clear drilling dust
- Spray-painted surface finish
- Available from 5 x 110mm to 25 x 1000mm
- Short and long lengths for varied drilling depths
- Carbon steel construction on listed variants
- TCT head specified on listed smaller variants
- Good choice for anchors, fixings and installation work

Key Features

- **SDS-Plus Shank** — Designed with an SDS-plus shank for secure fitment in compatible rotary hammer drills.
- **2-Cutter Slotted Tip** — The slotted 2-cutter tip is built for effective drilling into masonry materials.
- **Jobsite-Ready Body** — A spray-painted surface finish adds protection and a clean professional appearance.
- **Wide Size Selection** — Available in many diameter and length combinations, from 110mm to 1000mm overall length.
- **Built for Installation Work** — Well suited to drilling holes for anchors, brackets, clips and other fixing applications in concrete and brick.

Variants & References

size	Internal Ref.
5 x 110mm	594003
6 x 110mm	594006
7 x 110mm	594009
8 x 110mm	594012
10 x 110mm	594015

5 x 160mm	594066
6 x 160mm	594069
7 x 160mm	594072
8 x 160mm	594075
9 x 160mm	594078
10 x 160mm	594081
11 x 160mm	594084
12 x 160mm	594087
13 x 160mm	594090
14 x 160mm	594093
15 x 160mm	594096
5 x 210mm	594147
6 x 210mm	594150
7 x 210mm	594153
8 x 210mm	594156
9 x 210mm	594159
10 x 210mm	594162
11 x 210mm	594165
12 x 210mm	594168
13 x 210mm	594171
14 x 210mm	594174
16 x 210mm	594177
17 x 210mm	594180
18 x 210mm	594183
19 x 210mm	594186
20 x 210mm	594189
5 x 260mm	594240
6 x 260mm	594243
7 x 260mm	594246
8 x 260mm	594249
9 x 260mm	594252

10 x 260mm	594255
11 x 260mm	594258
12 x 260mm	594261
13 x 260mm	594264
14 x 260mm	594267
16 x 260mm	594270
18 x 260mm	594273
20 x 260mm	594276
22 x 260mm	594279
24 x 260mm	594282
25 x 260mm	594285
26 x 260mm	594288
5 x 310mm	594339
6 x 310mm	594342
7 x 310mm	594345
8 x 310mm	594348
10 x 310mm	594351
12 x 310mm	594354
14 x 310mm	594357
16 x 310mm	594360
18 x 310mm	594363
20 x 310mm	594366
22 x 310mm	594369
25 x 310mm	594372
+34 more variants	—

Specifications

Shank Type	SDS-plus shank
Tip	Slotted tip
Surface finish	Spray-painted
Material	Plastic Box Packing

Specifications by Variant										
Specification	5 x 11 0mm	6 x 11 0mm	7 x 11 0mm	8 x 11 0mm	10 x 1 10mm	5 x 16 0mm	6 x 16 0mm	7 x 16 0mm	8 x 16 0mm	9 x 16 0mm
Feature	5.0x1 10 MM	6.0x1 10 MM	—	8.0x1 10 MM	10.0x 110 MM	5.0x1 60 MM	6.0x1 60 MM	—	8.0x1 60 MM	—
Material	Carbo n Steel With TCT Head	Carbo n Steel With TCT Head	—	Carbo n Steel With TCT Head	Carbo n Steel With TCT Head	Carbo n Steel With TCT Head	Carbo n Steel With TCT Head	—	Carbo n Steel With TCT Head	—